

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIGURE 1

MAIN STEPS IN MANUFACTURE OF SURFACE
ANTIGEN INFLUENZA VACCINE





Fig 2



No DOC: %Endotoxin in Retentate and Filtrate.




FIGURE 3

Post-DOC: %Endotoxin in Retentate and Filtrate




FIGURE 4

EXPT43: Endotoxin levels, scale-up filtration
A/Texas Batch 531 MBP with and without 0.2%
DOC through 100kD MWCO membrane.




FIGURE 5

Expt 35 13.11.95(Data-no DOC)






FIGURE 6

FIGURE 6 CONTINUED:-

SEC Profile (above: A = 280nm), below: A = 320nm



Expt35 13.11.95(Data-50mM DOC)







FIGURE 7

FIGURE 7 CONTINUED:-


SEC Profile (above: A = 280nm), below: A = 320nm





HA rosette

FIGURE 8a



HA rosette

FIGURE 8b

0980378-031201